ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

Holder of Attestation: **Suzhou Inovance Technology Co., Ltd.**
No. 52, Tian E Dang Road, Wuzhong District
215104 Suzhou City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Servo Motor**
(AC Servo Motor)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 6877225008201

Date, 2025-11-13

(Laurent Yuan)

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

ATTESTATION ◆ ATTESTATO ◆ ATESTACIÓN ◆ BESCHEINIGUNG ◆ ATTESTATION

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

Model(s):

MCS1H3-13C15CB-115F053-XXXXX(a), MCS1H3-13C15CB-115F103-XXXXX(a), MCS1H3-13C15CB-115F255-XXXXX(a), MCS1H3-13C15CB-120Y053-XXXXX(a), MCS1H3-13C15CB-120Y103-XXXXX(a), MCS1H3-13C15CB-120Y255-XXXXX(a), MCS1H3-13C15CD-115F053-XXXXX(a), MCS1H3-13C15CD-115F103-XXXXX(a), MCS1H3-13C15CD-115F255-XXXXX(a), MCS1H3-13C15CD-120Y053-XXXXX(a), MCS1H3-13C15CD-120Y103-XXXXX(a), MCS1H3-13C15CD-120Y255-XXXXX(a), MCS1H3-18C15CD-115F053-XXXXX(a), MCS1H3-18C15CD-115F103-XXXXX(a), MCS1H3-18C15CD-120Y053-XXXXX(a), MCS1H3-18C15CD-120Y103-XXXXX(a), MCS1H3-85B15CB-115F053-XXXXX(a), MCS1H3-85B15CB-115F103-XXXXX(a), MCS1H3-85B15CB-115F255-XXXXX(a), MCS1H3-85B15CB-120Y053-XXXXX(a), MCS1H3-85B15CB-120Y103-XXXXX(a), MCS1H3-85B15CB-120Y255-XXXXX(a), MCS1H3-85B15CD-115F053-XXXXX(a), MCS1H3-85B15CD-115F103-XXXXX(a), MCS1H3-85B15CD-115F255-XXXXX(a), MCS1H3-85B15CD-120Y053-XXXXX(a), MCS1H3-85B15CD-120Y103-XXXXX(a), MCS1H3-85B15CD-120Y255-XXXXX(a), MCS1H4-10C30CB-90F053-XXXXX(a), MCS1H4-10C30CB-90F103-XXXXX(a), MCS1H4-10C30CB-90F255-XXXXX(a), MCS1H4-10C30CB-90Y053-XXXXX(a), MCS1H4-10C30CB-90Y103-XXXXX(a), MCS1H4-10C30CB-90Y255-XXXXX(a), MCS1H4-40B30CB-60F053-XXXXX(a), MCS1H4-40B30CB-60F103-XXXXX(a), MCS1H4-40B30CB-60F255-XXXXX(a), MCS1H4-40B30CB-70Y053-XXXXX(a), MCS1H4-40B30CB-70Y103-XXXXX(a), MCS1H4-40B30CB-70Y255-XXXXX(a), MCS1H4-75B30CB-90F053-XXXXX(a), MCS1H4-75B30CB-90F103-XXXXX(a), MCS1H4-75B30CB-90F255-XXXXX(a), MCS1H4-75B30CB-90Y053-XXXXX(a), MCS1H4-75B30CB-90Y103-XXXXX(a), MCS1H4-75B30CB-90Y255-XXXXX(a), MS1H1-01B30CB-XXXXX(a), MS1H1-02B30CB-XXXXX(a), MS1H1-03B30CB-XXXXX(a), MS1H1-05B30CB-A330Z-U0W, MS1H1-05B30CB-XXXXX(a), MS1H1-05B30CD-XXXXX(a), MS1H1-10B30CB-XXXXX(a), MS1H1-10B30CD-XXXXX(a), MS1H1-10C30CB-XXXXX(a), MS1H1-10C30CB-XXXXY(a), MS1H1-10C30CD-XXXXX(a), MS1H1-15A40BA-XXXXX(a), MS1H1-15B30CB-A3B0Z-G0W, MS1H1-15B30CB-XXXXX(a), MS1H1-15C30CB-XXXXX(a), MS1H1-20B30CB-A334Z-G2T-TE, MS1H1-20B30CB-XXXXX(a), MS1H1-20B30CB-XXXXY(a), MS1H1-20B30CD-XXXXX(a), MS1H1-20C30CB-XXXXX(a), MS1H1-40B30CB-XXXXX(a), MS1H1-40B30CB-XXXXY(a), MS1H1-40B30CD-XXXXX(a), MS1H1-55B30CB-XXXXX(a), MS1H1-55B30CB-XXXXY(a), MS1H1-55B30CD-XXXXX(a), MS1H1-75B30CB-XXXXX(a), MS1H1-75B30CB-XXXXY(a), MS1H1-75B30CD-XXXXX(a), MS1H2-10C30CB-XXXXX(a), MS1H2-10C30CD-XXXXX(a), MS1H2-15C30CB-XXXXX(a), MS1H2-15C30CD-A334R-S, MS1H2-15C30CD-XXXXX(a), MS1H2-20C30CB-XXXXX(a), MS1H2-20C30CD-XXXXX(a), MS1H2-25C30CB-XXXXX(a), MS1H2-25C30CD-XXXXX(a), MS1H2-30C30CB-XXXXX(a), MS1H2-30C30CD-XXXXX(a), MS1H2-37C20CD-XXXXX(a), MS1H2-40C30CB-XXXXX(a), MS1H2-40C30CD-XXXXX(a), MS1H2-50C30CB-XXXXX(a), MS1H2-50C30CD-XXXXX(a), MS1H3-10C08CB-XXXXX(a), MS1H3-10C08CD-XXXXX(a), MS1H3-12C20CB-XXXXX(a), MS1H3-12C20CB-XXXXX(a), MS1H3-13C15CB-XXXXX(a), MS1H3-13C15CB-XXXXY(a), MS1H3-13C15CD-XXXXX(a), MS1H3-13C15CD-XXXXY(a), MS1H3-14C08CD-XXXXX(a), MS1H3-14C08CD-XXXXX(a), MS1H3-15C30CB-XXXXX(a), MS1H3-18C15CB-XXXXX(a), MS1H3-18C15CB-XXXXY(a), MS1H3-18C15CD-A331Z-15, MS1H3-18C15CD-XXXXY(a), MS1H3-20C20CB-XXXXX(a), MS1H3-29C15CB-XXXXX(a), MS1H3-29C15CB-XXXXY(a), MS1H3-29C15CD-XXXXX(a), MS1H3-29C15CD-XXXXY(a), MS1H3-44C15CB-XXXXX(a), MS1H3-44C15CB-XXXXY(a), MS1H3-44C15CD-XXXXX(a), MS1H3-44C15CD-XXXXY(a), MS1H3-48C20CD-XXXXX(a), MS1H3-50C13CD-XXXXX(a), MS1H3-55C15CD-XXXXX(a), MS1H3-55C15CD-XXXXY(a), MS1H3-56C30CD-XXXXX(a), MS1H3-75C15CD-XXXXX(a), MS1H3-75C15CD-XXXXY(a), MS1H3-85B15CB-XXXXX(a), MS1H3-85B15CB-XXXXY(a),

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

**MS1H3-85B15CD-XXXXX(a), MS1H3-85B15CD-XXXXY(a),
MS1H3-70C20CB-A332R-INT, MS1H3-70C20CB-A330R-INT,
MS1H4-20B30CB-①②③④⑤-EX d T5(a), MS1H4-20B30CB-①②③④⑤-EX d T4(a),
MS1H4-40B30CB-①②③④⑤-EX d T5(a), MS1H4-40B30CB-①②③④⑤-EX d T4(a),
MS1H4-55B30CB-①②③④⑤-EX d T5(a), MS1H4-55B30CB-①②③④⑤-EX d T4(a),
MS1H4-75B30CB-①②③④⑤-EX d T5(a), MS1H4-75B30CB-①②③④⑤-EX d T4(a),
MS1H4-90B30CB-①②③④⑤-EX d T5(a), MS1H4-90B30CB-①②③④⑤-EX d T4(a),
MS1H4-10C30CB-①②③④⑤-EX d T4(a), MS1H3-85B15CD-①②③④⑤-EX d T5(a),
MS1H3-85B15CD-①②③④⑤-EX d T4(a), MS1H3-13C15CD-①②③④⑤-EX d T5(a),
MS1H3-13C15CD-①②③④⑤-EX d T4(a), MS1H3-16C15CD-①②③④⑤-EX d T5(a),
MS1H3-16C15CD-①②③④⑤-EX d T4(a), MS1H3-18C15CD-①②③④⑤-EX d T4(a),
MS1H3-29C15CD-①②③④⑤-EX d T5(a), MS1H3-29C15CD-①②③④⑤-EX d T4(a),
MS1H3-37C15CD-①②③④⑤-EX d T5(a), MS1H3-37C15CD-①②③④⑤-EX d T4(a),
MS1H3-44C15CD-①②③④⑤-EX d T5(a), MS1H3-44C15CD-①②③④⑤-EX d T4(a),
MS1H3-45C15CD-①②③④⑤-EX d T5(a), MS1H3-45C15CD-①②③④⑤-EX d T4(a),
MS1H3-75C15CD-①②③④⑤-EX d T4(a), MS1H3-55C15CD-①②③④⑤-EX d T4(a),
MS1H4-10B30CB-XXXXX(a), MS1H4-10B30CB-XXXXX(a),
MS1H4-10C30CB-A331R-G0W, MS1H4-10C30CB-XXXXX(a),
MS1H4-10C30CB-XXXXY(a), MS1H4-10C30CD-XXXXX(a),
MS1H4-15B30CB-XXXXX(a), MS1H4-20B30CB-XXXXX(a),
MS1H4-20B30CB-XXXXY(a), MS1H4-30B30CB-A331Z-IPM-G0W,
MS1H4-30B30CB-XXXXX(a), MS1H4-40B30CB-A334Z-G0T-TE,
MS1H4-40B30CB-A334Z-G0W, MS1H4-40B30CB-A334Z-U0W,
MS1H4-40B30CB-XXXXX(a), MS1H4-40B30CB-XXXXY(a),
MS1H4-40B30CB-XXXXY(a), MS1H4-50B30CB-A331Z-IPM-G0W,
MS1H4-50B30CB-A331Z-IPM-G0W, MS1H4-50B30CB-XXXXX(a),
MS1H4-55B30CB-XXXXX(a), MS1H4-55B30CB-XXXXY(a),
MS1H4-75B30CB-A332Z-U0W, MS1H4-75B30CB-A334Z-G0W,
MS1H4-75B30CB-XXXXX(a), MS1H4-75B30CB-XXXXY(a),
MS1H4-90A30CB-XXXXX(a), MS1V2-15C30CD-XXXXX(a),
MS1V2-20C30CD-XXXXX(a), MS1V2-25C30CD-XXXXX(a),
MS1V3-24C15CD-A331Z, MS1V3-30C15CD-XXXXX(a),
MS1V3-32C20CD-XXXXX(a), MS1V3-36C15CD-XXXXX(a),
MS1V3-48C20CD-XXXXX(a), MS1V3-63C30CD-XXXXX(a)**

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

Remark:
1: First "X" means Type definition, can be a suffix "xxxxxxxx", Where "xxxxxxxx" can be blank or "Type:"

2: Second "X" means Encoder type, can be
"-A3 or A3" indicates multi-turn absolute encoder
"-M3 or M3" indicates 18-bit single-turn encoder
"-T3 or T3" indicates 18-bit multi-turn encoder
"-U3 or U3" indicates 23-bit single-turn absolute encoder
"-U2 or U2" indicates 20-bit incremental encoder
"-A6 or A6" indicates 26-bit multi-turn absolute encoder
"-S6 or S6" indicates 26-bit multi-turn absolute encoder with safety function
"-M1 or M1" indicates 14-bit multi-turn absolute encoder

3: Third "X" means Shaft End, can be
"1" indicates Plain shaft
"2" indicates Solid, keyed
"3" indicates Solid, keyed, with threaded holes
"5" indicates Solid, with threaded holes

4: Forth "X" means Option, can be
"0" indicates None
"1" indicates with oil seal
"2" indicates with brake
"4" indicates with oil seal and brake

5: Fifth "X" means Motor type, can be
"Z" or "Z-S"
"Z" indicates Terminal-type
"Z-S" indicates Lead wire-type
"Y" can be "R" or "R-S"
"R" indicates Terminal-type

6: (a) means Product/client code, can be a suffix "xxxxxxxxxxxxxxx", Where "x" can be "0-9", "A-Z", "-" or blank.

① means Encoder type, can be
"R1": A pair of resolver encoders
"U1": 20-bit incremental encoder
"U2": 20-bit incremental encoder
"U3": 23-bit Multi-turn Absolute Encoder
"A2": 20-turn absolute encoder
"A3": 23-bit multi-turn absolute encoder
"A6": 26-bit multi-turn absolute encoder
"M1": 14-bit multi-turn absolute encoder
"M2": 17-bit multi-turn absolute encoder
"M3": 18-bit single-turn absolute encoder
"T2": 18-bit multi-turn absolute encoder (software non-standard)
"T3": 18-bit Multi-turn Absolute Encoder
"S6": Functional Safety 26-bit Multi-turn Absolute Encoder
"V1": Battery-free 18-bit multi-turn absolute encoder
"V3": Battery-free 23-bit multi-turn absolute encoder
"V6": Battery-less 26-bit Multi-turn Absolute Encoder
"C2": 18-bit multi-turn absolute encoder (non-standard software)
"C3": 18-bit multi-turn absolute encoder
"D1": Battery-free 18-bit multi-turn absolute encoder
"D3": Battery-free 23-bit multi-turn absolute encoder
"D6": Battery-free 26-bit multi-turn absolute encoder

② means Shaft End, can be
"1": Plain shaft
"2": The hollow cone shaft

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

"3": Solid, keyed, with threaded holes
"5": Solid, with threaded holes

③ means Brake, reducer, oil seal, can be
"0": None
"1": With oil seal
"2": With brake
"4": With oil seal and brake

④ means Series ,can be
"R": R series

⑤means Version, can be
"INT": INT series

Description of Object:

Ratings: See below table for details

Tested according to:

EN 61800-3:2004/A1:2012
EN IEC 61800-3:2018
EN 55011:2016/A2:2021
EN 61000-6-4:2007/A1:2011
EN IEC 61000-6-4:2019
EN 61000-6-2:2005
EN 60034-1:2010

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

Motor type	Rated Speed (rpm)	Rated Voltage (V)	Rated Power (kW)	Rated Current (A)	Rated Torque(N·m)
MCS1H3-13C15CB-115F053-XXXXX(a)	300	220	1.3	10.5	35.5
MCS1H3-13C15CB-115F103-XXXXX(a)	150	220	1.3	10.5	71
MCS1H3-13C15CB-115F255-XXXXX(a)	60	220	1.3	10.5	177.5
MCS1H3-13C15CB-120Y053-XXXXX(a)	300	220	1.3	10.5	35.5
MCS1H3-13C15CB-120Y103-XXXXX(a)	150	220	1.3	10.5	71
MCS1H3-13C15CB-120Y255-XXXXX(a)	60	220	1.3	10.5	177.5
MCS1H3-13C15CD-115F053-XXXXX(a)	300	380	1.3	5.1	35.5
MCS1H3-13C15CD-115F103-XXXXX(a)	150	380	1.3	5.1	71
MCS1H3-13C15CD-115F255-XXXXX(a)	60	380	1.3	5.1	177.5
MCS1H3-13C15CD-120Y053-XXXXX(a)	300	380	1.3	5.1	35.5
MCS1H3-13C15CD-120Y103-XXXXX(a)	150	380	1.3	5.1	71
MCS1H3-13C15CD-120Y255-XXXXX(a)	60	380	1.3	5.1	177.5
MCS1H3-18C15CD-115F053-XXXXX(a)	300	380	1.8	6.75	49
MCS1H3-18C15CD-115F103-XXXXX(a)	150	380	1.8	6.75	98
MCS1H3-18C15CD-120Y053-XXXXX(a)	300	380	1.8	6.75	49
MCS1H3-18C15CD-120Y103-XXXXX(a)	150	380	1.8	6.75	98
MCS1H3-85B15CB-115F053-XXXXX(a)	300	220	0.85	6.6	23
MCS1H3-85B15CB-115F103-XXXXX(a)	150	220	0.85	6.6	46
MCS1H3-85B15CB-115F255-XXXXX(a)	60	220	0.85	6.6	115
MCS1H3-85B15CB-120Y053-XXXXX(a)	300	220	0.85	6.6	23
MCS1H3-85B15CB-120Y103-XXXXX(a)	150	220	0.85	6.6	46
MCS1H3-85B15CB-120Y255-XXXXX(a)	60	220	0.85	6.6	115
MCS1H3-85B15CD-115F053-XXXXX(a)	300	380	0.85	3.5	23
MCS1H3-85B15CD-115F103-XXXXX(a)	150	380	0.85	3.5	46
MCS1H3-85B15CD-115F255-XXXXX(a)	60	380	0.85	3.5	115
MCS1H3-85B15CD-120Y053-XXXXX(a)	300	380	0.85	3.5	23
MCS1H3-85B15CD-120Y103-XXXXX(a)	150	380	0.85	3.5	46
MCS1H3-85B15CD-120Y255-XXXXX(a)	60	380	0.85	3.5	115
MCS1H4-10C30CB-90F053-XXXXX(a)	600	220	1	6.5	13.5
MCS1H4-10C30CB-90F103-XXXXX(a)	300	220	1	6.5	27
MCS1H4-10C30CB-90F255-XXXXX(a)	120	220	1	6.5	67.5
MCS1H4-10C30CB-90Y053-XXXXX(a)	600	220	1	6.5	13.5
MCS1H4-10C30CB-90Y103-XXXXX(a)	300	220	1	6.5	27
MCS1H4-10C30CB-90Y255-XXXXX(a)	120	220	1	6.5	67.5
MCS1H4-40B30CB-60F053-XXXXX(a)	600	220	0.4	2.4	5.4
MCS1H4-40B30CB-60F103-XXXXX(a)	300	220	0.4	2.4	10.5
MCS1H4-40B30CB-60F255-XXXXX(a)	120	220	0.4	2.4	26.8
MCS1H4-40B30CB-70Y053-XXXXX(a)	600	220	0.4	2.4	5.4
MCS1H4-40B30CB-70Y103-XXXXX(a)	300	220	0.4	2.4	10.5
MCS1H4-40B30CB-70Y255-XXXXX(a)	120	220	0.4	2.4	26.8
MCS1H4-75B30CB-90F053-XXXXX(a)	600	220	0.75	4.4	10
MCS1H4-75B30CB-90F103-XXXXX(a)	300	220	0.75	4.4	21
MCS1H4-75B30CB-90F255-XXXXX(a)	120	220	0.75	4.4	50
MCS1H4-75B30CB-90Y053-XXXXX(a)	600	220	0.75	4.4	10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

MCS1H4-75B30CB-90Y103-XXXXX(a)	300	220	0.75	4.4	21
MCS1H4-75B30CB-90Y255-XXXXX(a)	120	220	0.75	4.4	50
MS1H1-01B30CB-XXXXX(a)	3000	220	0.01	0.4	0.032
MS1H1-02B30CB-XXXXX(a)	3000	220	0.02	0.7	0.064
MS1H1-03B30CB-XXXXX(a)	3000	220	0.03	0.98	0.093
MS1H1-05B30CB-A330Z-U0W	3000	220	0.05	1.3	0.16
MS1H1-05B30CB-XXXXX(a)	3000	220	0.05	1.3	0.16
MS1H1-05B30CD-XXXXX(a)	3000	380	0.05	1.3	0.16
MS1H1-10B30CB-XXXXX(a)	3000	220/380	0.1	1.3	0.32
MS1H1-10B30CD-XXXXX(a)	3000	380	0.1	1.3	0.32
MS1H1-10C30CB-XXXXX(a)	3000	220/380	1	7.6	3.18
MS1H1-10C30CB-XXXXY(a)	3000	220	1	6.2	3.18
MS1H1-10C30CD-XXXXX(a)	3000	380	1	7.6	3.18
MS1H1-15A40BA-XXXXX(a)	400	48	0.015	3	0.365
MS1H1-15B30CB-A3B0Z-G0W	3000	220	0.15	0.48	2.34
MS1H1-15B30CB-XXXXX(a)	3000	220	0.15	2.34	0.48
MS1H1-15C30CB-XXXXX(a)	3000	220	1.5	6.64	4.8
MS1H1-20B30CB-A334Z-G2T-TE	3000	220	0.2	1.5	0.64
MS1H1-20B30CB-XXXXX(a)	3000	220/380	0.2	1.5	0.64
MS1H1-20B30CB-XXXXY(a)	3000	220	0.2	1.5	0.64
MS1H1-20B30CD-XXXXX(a)	3000	380	0.2	1.5	0.64
MS1H1-20C30CB-XXXXX(a)	3000	220	2	8.63	6.37
MS1H1-40B30CB-XXXXX(a)	3000	220/380	0.4	2.8	1.27
MS1H1-40B30CB-XXXXY(a)	3000	220	0.4	2.5	1.27
MS1H1-40B30CD-XXXXX(a)	3000	380	0.4	2.8	1.27
MS1H1-55B30CB-XXXXX(a)	3000	220/380	0.55	3.8	1.75
MS1H1-55B30CB-XXXXY(a)	3000	220	0.55	3.9	1.75
MS1H1-55B30CD-XXXXX(a)	3000	380	0.55	3.8	1.75
MS1H1-75B30CB-XXXXX(a)	3000	220/380	0.75	4.8	2.39
MS1H1-75B30CB-XXXXY(a)	3000	220	0.75	4.4	2.39
MS1H1-75B30CD-XXXXX(a)	3000	380	0.75	4.8	2.39
MS1H2-10C30CB-XXXXX(a)	3000	220	1	7.5	3.18
MS1H2-10C30CD-XXXXX(a)	3000	380	1	3.65	3.18
MS1H2-15C30CB-XXXXX(a)	3000	220	1.5	10.8	4.9
MS1H2-15C30CD-A334R-S	3000	380	1.5	4.2	4.9
MS1H2-15C30CD-XXXXX(a)	3000	380	1.5	4.5	4.9
MS1H2-20C30CB-XXXXX(a)	3000	220	2	12	6.36
MS1H2-20C30CD-XXXXX(a)	3000	380	2	5.9	6.36
MS1H2-25C30CB-XXXXX(a)	3000	220	2.5	16	7.96
MS1H2-25C30CD-XXXXX(a)	3000	380	2.5	7.6	6.36
MS1H2-30C30CB-XXXXX(a)	3000	220	3	10	9.8
MS1H2-30C30CD-XXXXX(a)	3000	380	3	10	9.8
MS1H2-37C20CD-XXXXX(a)	3000	380	3.7	6.7	18
MS1H2-40C30CB-XXXXX(a)	3000	220	4	26	12.6
MS1H2-40C30CD-XXXXX(a)	3000	380	4	13.6	12.6
MS1H2-50C30CB-XXXXX(a)	3000	220	5	26	15.8
MS1H2-50C30CD-XXXXX(a)	3000	380	5	16	15.6

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

MS1H3-10C08CB-XXXXX(a)	800	220	1	5.5	11.5
MS1H3-10C08CD-XXXXX(a)	800	380	1	3.5	11.5
MS1H3-12C20CB-XXXXX(a)	5000	220	1.2	9.5	5.73
MS1H3-12C20CB-XXXXX(a)	2000	220	1.2	9.5	5.73
MS1H3-13C15CB-XXXXX(a)	1500	220	1.3	10	8.34
MS1H3-13C15CB-XXXXY(a)	1500	220	1.3	10.5	8.34
MS1H3-13C15CD-XXXXX(a)	1500	380	1.3	5	8.34
MS1H3-13C15CD-XXXXY(a)	1500	380	1.3	5.1	8.34
MS1H3-14C08CD-XXXXX(a)	800	380	1.4	5	16
MS1H3-14C08CD-XXXXX(a)	800	380	1.4	5	16
MS1H3-15C30CB-XXXXX(a)	3000	220	1.5	6.78	4.77
MS1H3-18C15CB-XXXXX(a)	1500	220	1.8	6.6	11.5
MS1H3-18C15CB-XXXXY(a)	1500	220	1.8	12.4	11.5
MS1H3-18C15CD-A331Z-15	800	380	1.4	5	16
MS1H3-18C15CD-XXXXY(a)	1500	380	1.8	6.75	11.5
MS1H3-20C20CB-XXXXX(a)	5000	220	2	14.5	9.55
MS1H3-29C15CB-XXXXX(a)	1500	220	2.9	18	18.6
MS1H3-29C15CB-XXXXY(a)	1500	220	2.9	18	18.6
MS1H3-29C15CD-XXXXX(a)	1500	380	2.9	11.9	18.6
MS1H3-29C15CD-XXXXY(a)	1500	380	2.9	10.5	18.6
MS1H3-44C15CB-XXXXX(a)	1500	220	4.4	25	28.4
MS1H3-44C15CB-XXXXY(a)	1500	220	4.4	25.5	28.4
MS1H3-44C15CD-XXXXX(a)	1500	380	4.4	16.5	28.4
MS1H3-44C15CD-XXXXY(a)	1500	380	4.4	16	28.4
MS1H3-48C20CD-XXXXX(a)	2000	380	4.8	13.4	22.9
MS1H3-50C13CD-XXXXX(a)	1300	380	5.0	10	37
MS1H3-55C15CD-XXXXX(a)	1500	380	5.5	20.8	35
MS1H3-55C15CD-XXXXY(a)	1500	380	5.5	20.7	35
MS1H3-56C30CD-XXXXX(a)	3000	380	5.6	12	18
MS1H3-75C15CD-XXXXX(a)	1500	380	7.5	25.7	48
MS1H3-75C15CD-XXXXY(a)	1500	380	7.5	25	48
MS1H3-85B15CB-XXXXX(a)	1500	220	0.85	6.6	5.39
MS1H3-85B15CB-XXXXY(a)	1500	220	0.85	6.6	5.39
MS1H3-85B15CD-XXXXX(a)	1500	380	0.85	3.3	5.39
MS1H3-85B15CD-XXXXY(a)	1500	380	0.85	3.5	5.39
MS1H3-70C20CB-A332R-INT	2000	220	7.0	30.5	33.4
MS1H3-70C20CB-A330R-INT	2000	220	7.0	30.5	33.4
MS1H4-20B30CB-①②③④⑤-EX d T5(a)	3000	220	0.2	1.3	0.64
MS1H4-20B30CB-①②③④⑤-EX d T4(a)	3000	220	0.2	1.3	0.64
MS1H4-40B30CB-①②③④⑤-EX d T5(a)	3000	220	0.4	2.4	1.27
MS1H4-40B30CB-①②③④⑤-EX d T4(a)	3000	220	0.4	2.4	1.27
MS1H4-55B30CB-①②③④⑤-EX d T5(a)	3000	220	0.55	3.3	1.75
MS1H4-55B30CB-①②③④⑤-EX d T4(a)	3000	220	0.55	3.3	1.75
MS1H4-75B30CB-①②③④⑤-EX d T5(a)	3000	220	0.75	4.4	2.39
MS1H4-75B30CB-①②③④⑤-EX d T4(a)	3000	220	0.75	4.4	2.39
MS1H4-90B30CB-①②③④⑤-EX d T5(a)	3000	220	0.9	5.85	2.86

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

MS1H4-90B30CB-①②③④⑤-EX d T4(a)	3000	220	0.9	5.85	2.86
MS1H4-10C30CB-①②③④⑤-EX d T4(a)	3000	220	1	6.5	3.18
MS1H3-85B15CD-①②③④⑤-EX d T5(a)	1500	380	0.85	3.5	5.39
MS1H3-85B15CD-①②③④⑤-EX d T4(a)	1500	380	0.85	3.5	5.39
MS1H3-13C15CD-①②③④⑤-EX d T5(a)	1500	380	1.3	5.1	8.34
MS1H3-13C15CD-①②③④⑤-EX d T4(a)	1500	380	1.3	5.1	8.34
MS1H3-16C15CD-①②③④⑤-EX d T5(a)	1500	380	1.6	6.08	10.4
MS1H3-16C15CD-①②③④⑤-EX d T4(a)	1500	380	1.6	6.08	10.4
MS1H3-18C15CD-①②③④⑤-EX d T4(a)	1500	380	1.8	6.75	11.5
MS1H3-29C15CD-①②③④⑤-EX d T5(a)	1500	380	2.9	10.5	18.6
MS1H3-29C15CD-①②③④⑤-EX d T4(a)	1500	380	2.9	10.5	18.6
MS1H3-37C15CD-①②③④⑤-EX d T5(a)	1500	380	3.7	13.6	24.2
MS1H3-37C15CD-①②③④⑤-EX d T4(a)	1500	380	3.7	13.6	24.2
MS1H3-44C15CD-①②③④⑤-EX d T5(a)	1500	380	4.4	16	28.4
MS1H3-44C15CD-①②③④⑤-EX d T4(a)	1500	380	4.4	16	28.4
MS1H3-45C15CD-①②③④⑤-EX d T5(a)	1500	380	4.5	15	29
MS1H3-45C15CD-①②③④⑤-EX d T4(a)	1500	380	4.5	15	29
MS1H3-75C15CD-①②③④⑤-EX d T4(a)	1500	380	7.5	25	48
MS1H3-55C15CD-①②③④⑤-EX d T4(a)	1500	380	5.5	20.7	35
MS1H4-10B30CB-XXXXX(a)	6000	220	0.1	1.6	0.32
MS1H4-10B30CB-XXXXX(a)	3000	220	0.1	1.3	0.32
MS1H4-10C30CB-A331R-G0W	3000	220	1.0	6.5	3.18
MS1H4-10C30CB-XXXXX(a)	6000	220	1.0	7.6	3.18
MS1H4-10C30CB-XXXXY(a)	3000	220	1.0	6.5	3.18
MS1H4-10C30CD-XXXXX(a)	3000	380	1.0	3.25	3.18
MS1H4-15B30CB-XXXXX(a)	3000	220	0.15	2.3	0.48
MS1H4-20B30CB-XXXXX(a)	6000	220	0.2	1.5	0.64
MS1H4-20B30CB-XXXXY(a)	3000	220	0.2	1.3	0.64
MS1H4-30B30CB-A331Z-IPM-G0W	3000	220	0.3	0.96	2.48
MS1H4-30B30CB-XXXXX(a)	3000	220	0.3	2.48	0.96
MS1H4-40B30CB-A334Z-G0T-TE	3000	220	0.4	2.8	1.27
MS1H4-40B30CB-A334Z-G0W	3000	220	0.4	2.4	1.27
MS1H4-40B30CB-A334Z-U0W	3000	220	0.4	2.4	1.27
MS1H4-40B30CB-XXXXX(a)	3000	220	0.4	2.8	1.27
MS1H4-40B30CB-XXXXY(a)	3000	220	0.4	2.4	1.27
MS1H4-40B30CB-XXXXY(a)	3000	220	0.4	2.4	1.27
MS1H4-50B30CB-A331Z-IPM-G0W	3000	220	0.5	1.6	4.52

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

Product Service

Attestation of Conformity

No. E8A 092835 0305 Rev. 00

MS1H4-50B30CB-A331Z-IPM-G0W	3000	220	0.5	4.52	1.6
MS1H4-50B30CB-XXXXX(a)	6000	220	0.5	3.5	1.6
MS1H4-55B30CB-XXXXX(a)	6000	220	0.55	3.8	1.75
MS1H4-55B30CB-XXXXY(a)	3000	220	0.55	3.3	1.75
MS1H4-75B30CB-A332Z-U0W	3000	220	0.75	4.4	2.39
MS1H4-75B30CB-A334Z-G0W	3000	220	0.75	4.4	2.39
MS1H4-75B30CB-XXXXX(a)	3000	220	0.75	4.8	2.39
MS1H4-75B30CB-XXXXY(a)	3000	220	0.75	4.4	2.39
MS1H4-90A30CB-XXXXX(a)	3000	220	0.09	1.95	0.29
MS1V2-15C30CD-XXXXX(a)	3000	380	1.5	3.3	4.9
MS1V2-20C30CD-XXXXX(a)	3000	380	2	4.4	6.36
MS1V2-25C30CD-XXXXX(a)	3000	380	2.5	5.4	7.96
MS1V3-24C15CD-A331Z	1500	380	2.4	8.2	15
MS1V3-30C15CD-XXXXX(a)	1500	380	3	8.4	22
MS1V3-32C20CD-XXXXX(a)	2000	380	3.2	8.4	17
MS1V3-36C15CD-XXXXX(a)	1500	380	3.6	11.9	24
MS1V3-48C20CD-XXXXX(a)	2000	380	4.8	16.5	24
MS1V3-63C30CD-XXXXX(a)	3000	380	6.3	16.5	20

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.